Japanese Utility Model Publication No. 11-14546

Publication Date: October 20, 1936

Utility Model Application Number: 11-7254

Application Filing Date: March 9, 1936

Inventor and Applicant: Akira Fukuda

## Pin for Permanent Wave Treatment

### Claim

A pin for permanent wave treatment comprising:

a flexible bar 4 which is made of a metal and on which a textile fabric covers,

a flannel textile 2, 2' which is folded at the longitudinal center thereof and is fixed to the middle portion of the bar 4 at the folded portion thereof, and

a pair of gauze 1, 1' which are inserted in between the folded flannel textile 2, 2'.

# Description

A treatment liquid in impregnated with a pair of gauze 1, 1' and a flannel textile 2, 2'. Then hairs 6 are inserted in between a pair of gauze 2, 2'. The hairs are successfully oriented in the same direction and rolled up due to (i) the wet gauze 1, 1' and flannel textile 2, 2', and (ii) frictional force caused by rough surface of the gauze, as shown in Fig. 1. Finally, each edge of the flexible bar 4 is folded inward so as to maintain the rolled-up state of the hairs. According to this embodiment, permanent wave treatment can be carried out very easily while the rolled-up state of the hairs shows good appearance. Further, permanent wave of hair can be maintained for a prolonged period of time since the treatment liquid is well applied to hairs due to tight wind of hairs with the gauze and flannel textile.

# 第百二十類 二〇、理髮難具

十月二十日三月九日

田

Ξ

BEST AVAILABLE COPY

# ーマネント、ロール、ピン

岡面ノ略解 賀用新案丿性質、作用及效果丿要領 | 本笨ハ 網布被殺⑤ヲナセル柔軟性金恩棒杢ノ中央部ニ内側ニ「ガーゼ」イラトアヲ挟偏セル「ネル」切 器ヲ挽ゃ付ケタル儘保持スルモ不健裁ナラズ又賦形後本器ヲ取リ去ルモ 浸透性躁ゃ「ガーゼ」 「「ネル」切ノ脛迫ト 樂後ノ作用ニヨリ 挾捲スルトキ賦形樂液ニョル「ガーゼ」、「ネル」切ノ濕潤ト「ガーゼ」(元元) 粗面トニョリ 頭髮ヲ揃ヘヲ强ク 把持スルコトヲ得テ最後 本案ハ前記ノ如キ構造ナルヲ以ヲ赋形藥筱ヲ「ガーゼ」(T)T)及ビ「ネル」切b(Q)ニ授透セシメテ第一闘ノ如ク賦形セントスル頭髮(Jヲ (afa)ノ中央部39懇籍セル構造ヲ新規トスル「パーマネント、ロール、ビン」ナリ 長ク「ウエープ」ヲ保持スルコトヲ得衆テ本案ハ其構造簡單ナルニョリ生産毀亦低廉ナル等ノ特徴效果アルモノトス ハ第二國ノ如ク柔軟性金嶌棒丕ノ兩端部ヲ內方ニ忻曲保持シ至極簡單ニ「パーマネント、ウエーブ」ヲ施スコトヲ枡ルノミナラズ本 岡面第一 圀ハ本案を體ノ斜面図第二闘ハ本案使用ノ態様ヲ示セル斜面闘ナリ 閩面ニ示ス如ク網布被覆5gヲナセル柔軟性金風棒4J中央部ニ内側ニ「ガーゼ」イトトJヲ挾備セル「ネル」切で②J・中央 319

部ですの観着シテナル「パーマネント、ロール、ビン」ノ構造



